


¿Dónde colocar el termómetro?



Inserte el termómetro al costado de la hamburguesa o de manera que la punta alcance el centro. La carne de res molida debe alcanzar 160°F. La carne de ave molida debe alcanzar 165°F.



NJ SNAP - Ed
NJ Supplemental Nutrition Assistance Program-Education
USDA, Food and Nutrition Service



This material was funded by USDA's Supplemental Nutrition Assistance Program (SNAP). To apply for SNAP, call or go to your local SNAP office. In NJ apply online at: www.NJHelps.org; or to learn more go to www.fns.usda.gov/fsp. If you need help finding your local SNAP office in NJ call 1-800-792-9773; others call 1-800-221-5689.

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders.
Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.

RUTGERS
New Jersey Agricultural
Experiment Station

¿Dónde colocar el termómetro?



Las cazuelas y platos con huevo deben calentarse a 165°F. El termómetro se debe colocar en la parte más gruesa del plato. Manténgalo alejado de los lados o del fondo del recipiente.



NJ SNAP - Ed
NJ Supplemental Nutrition Assistance Program-Education
USDA, Food and Nutrition Service



This material was funded by USDA's Supplemental Nutrition Assistance Program (SNAP). To apply for SNAP, call or go to your local SNAP office. In NJ apply online at: www.NJHelps.org; or to learn more go to www.fns.usda.gov/fsp. If you need help finding your local SNAP office in NJ call 1-800-792-9773; others call 1-800-221-5689.

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders. Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.

RUTGERS
New Jersey Agricultural
Experiment Station

¿Dónde colocar el termómetro?



El cerdo y el jamón crudo deben cocinarse a 160°F. La temperatura interna debe medirse en el costado de la chuleta o en el centro, de manera que la punta del termómetro quede en el medio de la carne. No toque el hueso con la punta del termómetro. Los jamones precocidos deben calentarse a una temperatura de 140°F.



NJ SNAP - Ed
NJ Supplemental Nutrition Assistance Program-Education
USDA, Food and Nutrition Service



This material was funded by USDA's Supplemental Nutrition Assistance Program (SNAP). To apply for SNAP, call or go to your local SNAP office. In NJ apply online at: www.NJHelps.org; or to learn more go to www.fns.usda.gov/fsp. If you need help finding your local SNAP office in NJ call 1-800-792-9773; others call 1-800-221-5689.

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders. Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.

RUTGERS
New Jersey Agricultural
Experiment Station

¿Dónde colocar el termómetro?



Cocine el pan de carne a 160°F. Mida la temperatura interna, colocando el termómetro en el centro. Asegúrese de no tocar el fondo o los lados del recipiente.



NJ SNAP - Ed
NJ Supplemental Nutrition Assistance Program-Education
USDA, Food and Nutrition Service



This material was funded by USDA's Supplemental Nutrition Assistance Program (SNAP). To apply for SNAP, call or go to your local SNAP office. In NJ apply online at: www.NJHelps.org; or to learn more go to www.fns.usda.gov/fsp. If you need help finding your local SNAP office in NJ call 1-800-792-9773; others call 1-800-221-5689.

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders. Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.

RUTGERS
New Jersey Agricultural
Experiment Station

¿Dónde colocar el termómetro?



**Coloque el termómetro directamente en el centro del relleno.
La temperatura del relleno debe alcanzar 165°F.**



NJ SNAP - Ed
NJ Supplemental Nutrition Assistance Program-Education
USDA, Food and Nutrition Service



This material was funded by USDA's Supplemental Nutrition Assistance Program (SNAP). To apply for SNAP, call or go to your local SNAP office. In NJ apply online at: www.NJHelps.org; or to learn more go to www.fns.usda.gov/fsp. If you need help finding your local SNAP office in NJ call 1-800-792-9773; others call 1-800-221-5689.

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders. Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.

RUTGERS
New Jersey Agricultural
Experiment Station

¿Dónde colocar el termómetro?



Inserte el termómetro en la parte más carnosa del pavo, usualmente entre la pechuga y el muslo. Manténgalo alejado del hueso y el cartílago. La temperatura interna debe alcanzar 165°F.



NJ SNAP - Ed
NJ Supplemental Nutrition Assistance Program-Education
USDA, Food and Nutrition Service



This material was funded by USDA's Supplemental Nutrition Assistance Program (SNAP). To apply for SNAP, call or go to your local SNAP office. In NJ apply online at: www.NJHelps.org; or to learn more go to www.fns.usda.gov/fsp. If you need help finding your local SNAP office in NJ call 1-800-792-9773; others call 1-800-221-5689.

Cooperating Agencies: Rutgers, The State University of New Jersey, U.S. Department of Agriculture, and County Boards of Chosen Freeholders. Rutgers Cooperative Extension, a unit of the Rutgers New Jersey Agricultural Experiment Station, is an equal opportunity program provider and employer.

RUTGERS
New Jersey Agricultural
Experiment Station